KIN LONG

For Better Living

HARDWARE GUIDANCE

KINLONG ACCESSORIES



ALUMEX®

ULTIMATE IN ALUMINIUM PROFILES

Contents

Page Number

01 80mm Sliding & 80mm Swing Window

08 80mm Swing Door

11 100mm Sliding Door (Single & Double Glazing)

18 C - Groove Sliding (74mm & 100mm)

23 Lift & Sliding & ABS Sliding

29 Sliding & Folding Door (Lumin & Heavy Duty)

34 Double Door (Lapped)

36 100mm Swing Door (Butt Hinge & Floor Hinge)

41 70 mm Casement Window

43 PF Window

46 Tilt & Turn Window

Page Number

49 C - Groove Swing Window

52 C - Groove Top - Hung Window

54 C - Groove Door (Single Glazing)

58 C - Groove Door (Double Glazing)

61 Panel Door

63 Pivoted Window


65 Curtain Wall

67 Curtain Wall (Double Glazing)


69 WRD 100 & 200 Series

71 PD 200 Series


80mm Sliding



SECTION :- A - A




ELEVATION




SECTION :- B - B


80mm Swing



Section :- A-A





ELEVATION





Section :- B-B

Crescent Lock

No	Image	Code	Remark	Qty
1		Y06A/II	Crescent Lock Y06A/II Or Y20/II	1
2		Y05-31	Lock Hook Y05-31	1
3		FK-A	Anti-Strike Block FK-A	4
4		CL10B	Single-pulley CL10B-G28K22.5C6X8R3.25	4
5		W5XH6	High elastic and high density strip\TL-3P2L\W5*H6MM\PP\\White	L(m)


Flush Lock Option

No	Image	Code	Remark	Qty
1		TLS12	Sliding lock TLS12/Optional TLS12L Tongue - TLS12-6D	2
2		TFK01	Anti-strike Lock Catch TFK01 Optional :TLK40, SDS-1A	2
3		PFZK001	Bumper block PFZK001	4

No	Image	Code	Remark	Qty
1		TLS12H + TLS12-6D	Sliding lock TLS12H **Options:** TLS12HL with TLS12-6D & TLS16H with TLS12-6D, **Screw: M5X30 (2Pcs/Lock)**	2
2		TFK01	Anti-strike Lock Catch TFK01 **Options:** TLK40, SDS-1A	2
3		PFZK001	Bumper block PFZK001	4
4		ML16A	Double-pulley ML16A-G33K22R3.25	4
5		W5XH6	High elastic and high density strip\TL-3P2L\W5*H6MM\PP\\White	L(m)

No	Image	Code	Remark	Qty
Outside fixing lock				
1		T-LSGS01	Lock, **Screw: M5x55**	2

No	Image	Code	Remark	Qty
1		T-MLS04	Door handle T-MLS04, L=25mm **Screw M5*45mm (2Pcs/Lock)**	2
2		T-SGS25	Double hook lock T-SGS25	2
3		T-GMB215	Cover Plate T-GMB215, **Note- For Middle locking use T-GMB200**	2
4		PFZK002G16	Bumper block PFZK002, H=16mm	4
5		ML16A	Double-pulley ML16A-G33K22R3.25	4
6		W5XH6	High elastic and high density strip\TL-3P2L\W5*H6MM\PP\\White	L(m)


No	Image	Code	Remark	Qty
1		TZS08	handle TZS08, L=25mm **Option: TZS23A**	2
2		TLG01	Transmission Rod TLG01-(Length)X20HS11	2
3		U03C	Lock catch U03C	4
4		PFZK004	Anti-Strike Block PFZK004	4
5		ML16A	Double-pulley ML16A-G33K22.5R3.25	4
6		T-FK-D	Anti-Strike Block T-FK-D	2
7		W5XH6	High elastic and high density strip\TL-3P2L\W5*H6MM\PP\\White	L(m)

No	Image	Code	Remark	Qty
1		LCZS770	Handle LCZS770 with Shim CZS770-08-8	2
2		HCC40A	Friction stay HCC40A, Available Sizes are 12", 14", 16"	4
3		N33A	Cushion block N33A	2
4		N34A	Supporting Block N34A, **Option: N52**	2
5		LSK76	Mid Locking plate	2
6		LDK01	Shim	2


80mm Swing Window

No	Image	Code	Remark	Qty
1		LCZS3320	Handle Left & Right Tongue L = 45mm	2
2		LZDC02	Transmission rod LZDC02, Pin shaft = 16mm	2
3		ZA1-6A	Lock Plate ZA1-6A	4
4		J3	Pivot Hinge J3	6
5		LPX14A	Side Hung window Limitter C-groove LPX14A **Option: PX10**	2
6		SK70	Mid Locking plate	2
7		N34A	Supporting Block N34A, **Option: N52**	2
8		N33A	Cushion block N33A	2


80mm Door



Section :- A-A



ELEVATION




Section :- B-B


No	Image	Code	Remark	Qty
1		KLS45903	Handle KLS45903	1
2		T-DFS32	Door Lock T-DFS32	1
3		KMB120A	Cover Plate KMB120A	1
4		MZS60-SH	Cylinder Box MZS60-SH	1
5		KIL3232	Cylinder KIL3232	1
6		WK-70	Pivot Hinge **Option: T-WK-71**	6
7		KFJ51220	Framed door latch KFJ51220 **Option: SCX12701**	2
8		B103	Door Closer Silver/black/white\English logo**65Kg**	1
Handle options				
1		KLS41303	Handle KLS413\KLS41303	1

No	Image	Code	Remark	Qty
2		TLS20ML	Handle bar TLS20ML	1
3		B401	Door Closer Silver/black/white\English logo**45Kg**	1


100mm Sliding & Fixed




SECTION :- B - B



SECTION :- A - A




ELEVATION




SECTION :- C - C


100mm Sliding (Double Glazing)




SECTION :- A - A




ELEVATION




SECTION :- C - C



SECTION :- B - B


No	Image	Code	Remark	Qty
1		TLS16H	Sliding lock TLS16H with TLS12-6D **Screw: M5X35mm (2Pcs/Lock)** **Option: TLS16HL**	1
2		TFK01	Anti-strike Lock Catch TFK01 **Options: TLK40, SDS-1A**	1
3		PFZK001	Bumper block PFZK001	2
4		ML16A	Double-pulley ML16A-G33K32.5R3.25	2
5		T-FK-D	Anti-Strike Block T-FK-D	1
6		W5XH6	High elastic and high density strip\TL-3P2L\W5*H6MM\PP\\White	L(m)


No	Image	Code	Remark	Qty
1		T-MLS04	Door handle T-MLS04, L=30mm **Screw: M5x50mm (2Pcs/Lock)**	1
2		T-SGS25	Double hook lock T-SGS25	1
3		T-GMB215	Cover Plate T-GMB215	1
4		PFZK002G16	Bumper block PFZK002, H=16mm	2
5		ML16A	Double-pulley ML16A-G33K32.5R3.25	2
6		T-FK-D	Anti-Strike Block T-FK-D	1
7		W5XH6	High elastic and high density strip\TL-3P2L\W5*H6MM\PP\\White	L(m)

No	Image	Code	Remark	Qty
1		TZS08	Handle TZS08, L=25mm **Option: TZS23A**	1
2		TLG01	Transmission Rod TLG01 - (Length)X22HS12 Pin Height=22mm & lock point=12mm	1
3		U03C	Lock catch U03C	2
4		PFZK001	Bumper block PFZK001	2
5		ML16A	Double-pulley ML16A-G33K32.5R3.25	2
6		T-FK-D	Anti-Strike Block T-FK-D	1
7		W5XH6	High elastic and high density strip\TL- 3P2L\W5*H6MM\PP\\White	L(m)


No	Image	Code	Remark	Qty
1		TLS16H	Sliding lock TLS16H with TLS12-6D **Screw: M5x35 (2Pcs/Lock)** **Options: TLS16HL & TLS21H**	2
2		TFK01	Anti-strike Lock Catch TFK01 **Options: TLK40, SDS-1A**	2
3		PFZK001	Bumper block PFZK001	4
4		ML16A	Double-pulley ML16A-G29K29.5J156	4
5		W5XH8	High elastic and high density strip\TL-3P2L\W5*H8MM\PP\	L(m)

No	Image	Code	Remark	Qty
Outside fixing lock				
1		T-LSGS01	Lock **Screw: M5x60**	2


No	Image	Code	Remark	Qty
1		T-MLS04	Door handle T-MLS04, L=30mm **Screw: M5*50mm (2Pcs/Lock)**	2
2		T-SGS25	Double hook lock T-SGS25	2
3		T-GMB215	Cover Plate T-GMB215, **Note- For Middle locking use T-GMB200**	2
4		PFZK002G16	Bumper block PFZK002, H=16mm	4
5		ML16A	Double-pulley ML16A-G29K29.5J156	4
6		T-FK-D	Anti-Strike Block T-FK-D	1
7		W5XH8	High elastic and high density strip\TL-3P2L\W5*H8MM\PP\\	L(m)

No	Image	Code	Remark	Qty
1		TZS23A	Handle TZS23A, L=25mm **Option: TZS08**	2
2		TLG01	Transmission Rod TLG01-(Length)X22HS12 Pin height=22mm, Lock point height= 12mm	2
3		U03C	Lock catch U03C	4
4		PFZK001	Bumper block PFZK001	4
5		ML16A	Double-pulley ML16A-G29K29.5J156	4
6		T-FK-D	Anti-Strike Block T-FK-D	2
7		W5XH8	High elastic and high density strip\TL-3P2L\W5*H8MM\PP\\	L(m)


74mm C groove Sliding



SECTION :- A - A




ELEVATION




SECTION :- B - B


100mm C groove Sliding




SECTION A-A





ELEVATION





SECTION B-B


No	Image	Code	Remark	Qty
1		TLS16H	Sliding lock TLS16H with TLS12-6A **Screw: M5x30mm (2Pcs/Lock)**	2
2		TLK15B	Lock catch TLK15B	2
3		PFZK001	Bumper block PFZK001	2
5		ML13A	Double-pulley ML13A-G18K26J156	4
6		T-FDK01	Anti-theft block T-FDK01	1
7		W7XH6	High elastic and high density strip\TL-3P2L\W7*H6MM\PP\\	L(m)
Roller Options				
1		ML16A	110Kg Option - ML16A-G19K26J156	4

No	Image	Code	Remark	Qty
1		TZS08	Handle TZS08, L=25mm **Option: TZS23A**	2
2		TLG11	Transmission Rod TLG11-(Length)X11HS22 Pin height 11mm & Locking point height=22mm	2
3		U09	Lock catch U09	4
4		PFZK001	Anti-Strike Block PFZK001	4
5		ML13A	Double-pulley ML13A-G18K26J156	4
6		T-FDK01	Anti-theft block T-FDK01	1
7		W7XH6	High elastic and high density strip\TL-3P2L\W7*H6MM\PP\\	L(m)
Roller Options				
1		ML16A	110Kg Option - ML16A-G19K26J156	4


No	Image	Code	Remark	Qty
1		TLS16H	Sliding lock TLS16H with TLS12-6E **Options: TLS16, TLS16HL** **Screw: M5X35 (2Pcs/Lock)**	2
2		TLK15B	Lock catch TLK15B	2
3		PFZK001	Bumper Block	4
4		ML16A	Double-pulley ML16A-G19K23.5J150	4
5		T-FDK01	Anti-theft block T-FDK01	1
6		T-FK-D	Anti-Strike Block T-FK-D	2
7		W7XH6	High elastic and high density strip\TL-3P2L\W7*H6MM\PP\\	L(m)
Roller Options				
1		CMLF3703-K34	Pulley CMLF3703//200Kg Load Bearing	2pcs/ Sash

No	Image	Code	Remark	Qty
1		TZS23A	Tongue Length = 25mm **Option: TZS20A**	2
2		TLG11	Transmission Rod TLG11-(Length)X15HS27 Pin height=15mm & Lock point height=26mm	2
3		U15	Lock catch U15	4
4		PFZK001	Anti-Strike Block PFZK001	4
5		ML16A	Double-pulley ML16A -G19K23.5J150	6
6		T-FDK01	Anti-theft block T-FDK01	2
7		T-FK-D	Anti-Strike Block T-FK-D	2
8		W7XH6	High elastic and high density strip\TL-3P2L\W7*H6MM\PP\\	L(m)
Roller Options				
1		CMLF3703-K34	Pulley CMLF3703//200Kg Load Bearing	2pcs/ Sash


Lift & Sliding Door



SECTION :- A - A




ELEVATION




SECTION :- B - B


ABS Sliding



Section :- A - A




ELEVATION





Section :- B - B


No	Image	Code	Remark	Qty
1		Z201	Handle Z201, Spindle= 100mm **Screw: M5X60**	2
2		H50B	Pulley front roller H50B	2
3		H52A	Pulley rear roller H52A	2
4		H52-10-L	Linking Rod H52-10	2
5		CDG2370-06	Supporting Block CDG2370-06, Height=22.5mm	2
6		CDG2370-05	Supporting block CDG2370-05, Height=26mm	16
7		CDG2370A	Transmitter Lock CDG2370A	2
8		SK50	Lock Plate SK50	4
9		H52-13	Waterproof cover H52-13	4

No	Image	Code	Remark	Qty
10		H52-14	Anti-theft Piece H52-14, **Option: T-FDK01**	1
11		H52-12	Supporting block H52-12	3
12		T-FK-D	Anti-Strike Block T-FK-D	2
13		H51A	Recommended for more than 2000mm width sash	2
14		H50-20A	Cushion block H50-20A	4
15		KIL4242	Cylinder KIL4242	2
16		H52-16	Upper Cover H52-16	2
17		H52-15R/L	Right Cover H52-15R	2
18		W5XH9	High elastic siliconized piece-added strip\TL-4P2L\W5*H9MM\PP	L(m)


ABS Sliding

No	Image	Code	Remark	Qty
1		TLS16H	Sliding lock TLS16H with TLS12-6E **Options: TLS16, TLS16HL** **Screw: M5X35 (2Pcs/Lock)**	2
2		TLK15B	Locking plate TLK15B	2
3		PFZK001	Bumper Block	4
4		ML16A	Double-pulley ML16A-G25K31.5J156	4
5		T-FDK01	Anti-theft block T-FDK01	1
6		T-FK-D	Anti-Strike Block T-FK-D	2
7		W7XH6	High elastic and high density strip\TL-3P2L\W7*H6MM\PP\\	L(m)


No	Image	Code	Remark	Qty
1		TZS23A	Tongue Length=25mm **Option: TZS20A**	2
2		TLG02A	TLG02A-(Length)HS12, Four point lock Length≥1000mm	2
3		U15	Lock catch U15	4
4		PFZK001	Bumper block	4
5		ML16A	Double-pulley ML16A-G25K31J156	4
6		T-FDK01	Anti-theft block T-FDK01	1
7		T-FK-D	Anti-Strike Block T-FK-D	2
Option		CMLF2804K31.5J156	300Kg Heavy duty roller	2 pcs/ sash
		CMLF2802-K31.5J156	200Kg Heavy duty roller	
		CMLF2801-K31.5J156	150Kg Heavy duty roller	
8		W7XH8	High elastic and high density strip\TL-3P2L\W7*H8MM\PP\\	L(m)

No	Image	Code	Remark	Qty
1		T-DLS20HS	T-DLS20HS with DLS20-08 **Dummy handle - T-DLS20H/II** **Screw: CSK M5X60 (2pcs/Lock)**	2
2		TLK-14	Locking plate TLK-14	2
3		PFZK001	Anti-Strike Block PFZK004	4
4		ML16A	Double-pulley ML16A-G25K31.5J156	4
5		T-FDK01	Anti-theft block T-FDK01	1
6		T-FK-D	Anti-Strike Block T-FK-D	2
7		W7XH8	High elastic and high density strip\TL-3P2L\W7*H8MM\PP\\	L(m)


Lumin Sliding Folding Door



SECTION :- A-A




ELEVATION




SECTION :- B-B


Heavy Duty Sliding Folding Door



SECTION :- A-A



ELEVATION



SECTION :- B-B


No	Image	Code	Remark	Qty
1		MZS20	Handle MZS20,Spindle 85mm **Screw: M5*65**	1
2		MSC28/II	Door Lock MSC28/II	1
3		DMS20C	Cover Plate DMS20C	1
4		KIL3737	Cylinder KIL3737	1
5		FXZ11	Pivot Hinge FXZ11	9
6		FXZ1B	Upper pivot hinge FXZ1B	1
7		FXZ5B	Bottom pivot hinge FXZ5B	1
8		T28D	Handle T28D, L=32mm	1
9		CDQ20	Transmitter CDQ20	1

No	Image	Code	Remark	Qty
10		FXZ6	Socket rod FXZ6, **Need to order as per the door Height**	2
11		SCX500B	Latch SCX500B	2
12		T-SCX1000	Latch T-SCX1000	1
13		SK10	Lock Plate SK10	2
14		FXZ12	handle Pivot Hinge FXZ12	1
Available other sizes				
1		FXZ6-900	Transmission Rod	2
2		FXZ6-1850	Transmission Rod	2
3		FXZ6-1900	Transmission Rod	2
4		FXZ6-2100	Transmission Rod	2


No	Image	Code	Remark	Qty
1		MZS20	Door handle MZS20, Spindle=100mm **Screw: 5x80**	1
2		MSC32/II	Door Lock MSC32/II	1
3		KIL4747/T	Lock cylinder	1
4		KMB215	Cover Plate KMB215	1
5		FTL300-03R	Upper pivot hinge FTL300-03R	1
6		FTL300-04R	Bottom pivot hinge FTL300-04R	1
7		FTL300-03L	Upper pivot hinge FTL300-03L	1
8		FTL300-04L	Bottom pivot hinge FTL300-04L	1
9		FTL300-01	Upper pivot hinge FTL300-01	1
10		FTL300-02	Bottom pivot hinge FTL300-02	1

No	Image	Code	Remark	Qty
11		FTL300-07	Pivot Hinge FTL300-07	2
12		FTL300-08	Pivot Hinge FTL300-08	1
13		T28D	Handle T28D, L=40mm	1
14		CDQ20	Transmitter CDQ20	1
15		CDG10B	Shoot Bolt	2
16		SK11	Lock Plate SK11	2
17		SCX500B	Latch SCX500B	1
18		T-SCX1000	Latch T-SCX1000	1
19		SK30B	Locking piece SK30B	2


Double Door (Lapped)



SECTION :- A-A



ELEVATION




SECTION :- B-B


Double Door - (Lapped)

No	Image	Code	Remark	Qty
1		MZS20	Handle MZS20, Spindle=85mm **Screw: M5x65**	1
2		MZS320	Door handle MZS320, Spindle=85mm **Options: MZS322, MZS308** **Screw: M5x65**	1
3		MSC28/II	Door Lock MSC28/II	1
4		DMS20C	Cover Plate DMS20C	1
5		KIL3737	Cylinder KIL3737	1
6		FXZ11	Pivot Hinge FXZ11	6
7		SCX500B	Latch	1
8		SCX220B	Latch	1


Butt Hinge Door



SECTION :- A - A




ELEVATION




SECTION :- B - B


Floor Hinge Door



SECTION :- A - A



ELEVATION



SECTION :- B - B

Butt Hinge Door

No	Image	Code	Remark	Qty
1		MZS218C	Handle MZS218C, Spindle=85mm **Screw: M5x60**	1
2		MSC26/II	Door Lock MSC26/II **Options: MSC28/II, Door Lock EMS30**	1
3		KIL3737	Cylinder KIL3737	1
4		DMS20C	Cover Plate DMS20C	1
5		WK-70	Hinge **Option: T-WK-71**	3
6		B103	Door Closer Silver/black/white\English logo**65Kg**	1
Handle Options				
1		MZS20	Door handle MZS20	1
2		MZS22	Door handle MZS22	1


No	Image	Code	Remark	Qty
3		MZS220	Door handle MZS220	1
Hinge Options				
1		SHY12101	Hinge Recommend products: SHY12101\4"X3"X2.5-2BB\304\Satin	3
Door Closer Option				
1		B401	Door Closer Silver/black/white\English logo**45Kg**	1

Floor Hinge Door


No	Image	Code	Remark	Qty
1		MZS218C	Handle MZS218C, Spindle =85mm **Screw: M5x60**	1
2		MZS3218C	Handle MZS3218C, Spindle =85mm **Screw: M5x60**	1
3		MSC26/II	Door Lock MSC26/II,MSC28/II,Door Lock EMS30	1
4		KIL3737	Cylinder KIL3737	1
5		DMS20C	Cover Plate DMS20C	1
6		HD203	Floor Hinge\HD203/6°\cover plate 304/316\Satin/Mirror\English logo/include BDP30001/DX03/DY05	2
Handle Options				
1		MZS20	Door handle MZS20	1
2		MZS22	Door handle MZS22	1

No	Image	Code	Remark	Qty
3		MZS220	Door handle MZS220	1
Floor Hinge Option				
1		HD201	Floor Hinge\HD201/6°\cover plate 304/316\Satin/Mirror\English logo/include DS03/DX03/DY05	1


70mm Casement Window



SECTION :- A - A




ELEVATION




SECTION :- B - B

No	Image	Code	Remark	Qty
1		MQ03	Handle **Option: MQ02**	2
3		HC110	Friction stay Available Sizes are 10", 12", 14"	4


No	Image	Code	Remark	Qty
1		CZS310	Handle, L=24mm	2
2		LZDG01	Transmission rod, Spindle=15mm	1
3		B08AG9	Locking plate, Non-standard	4
4		HC120	Friction stay Available Sizes are 10", 12", 14"	4
		1630FJS-16	Anti-drop piece	2
		LSK76	Mid locking plate	2



SECTION :- A - A



ELEVATION




SECTION :- B - B


No	Image	Code	Remark	Qty
1		CZS310	Handle CZS310, L=30mm	2
2		LZDC02	Transmission rod LZDC02-(Length)X14, Pin height=14mm	2
3		ZA1-6A	Lock Plate ZA1-6A	4
4		HCC40A	Friction stay	2
5		N33A	Cushion block N33A	2
6		N34A	Supporting block N34A **Option: N52**	2
7		LSK76	Mid locking plate, LSK76	2
8		LDK01	Shim	2

No	Image	Code	Remark	Qty
Single-point lock				
1		MQ02	Handle	2
Hinge option				
1		T-MJ27	Pivot Hinge T-MJ27 (Not safe)	6


Turn and Tilt Window



SECTION :- A-A



ELEVATION




SECTION :- B-B


No	Image	Code	Remark	Qty
1		CZS20	Handle CZS08, L=24mm **Options: CZS20, CZS30**	2
2		LG11A	Small connector rod LG11A	2
3		NDHB10B	Bottom pivot hinge NDHB10B/Right	2
4		NDHA10B	Upper pivot hinge NDHA10B/Right	2
5		LZCK05	Supporting block LZCK05	2
6		N31	Disengagement preventer N31	2
7		N50	Overturn supporter N50	2
8		N33A	Cushion block N33A	2
9		ZA1	Corner device ZA1	2

No	Image	Code	Remark	Qty
10		ZA1-6A	Lock Plate ZA1-6A	2
11		FWG10A	Misproof transmission rod FWG10A	2
12		FSP10	Loose Preventer FSP10	2
13		PX10 Or LPX14	Side Hung Window Limiter PX10	2


Swing Window



SECTION :- A-A




ELEVATION




SECTION :- B-B


C Groove Mullion Fly Window



SECTION :- A-A



ELEVATION




SECTION :- B-B


No	Image	Code	Remark	Qty
1		LCZS770	Handle, Shim CZS770-08-8	2
2		HCC40A	Friction stay HCC40A Available Sizes are 12", 14", 16"	4
3		N33A	Cushion block N33A	2
4		N34A	Supporting block N34A **Option: N52**	2
5		LSK76	Mid locking plate	2
6		LDK01	Shim	2

No	Image	Code	Remark	Qty
1		LCZS3320	Handle LCZS3320, L=45mm **Options: CZS116AS,LCZS309,LCZS109**	2
2		HCC40A	Friction stay HCC40A Available Sizes are 12", 14", 16"	4
3		LZDC02	Transmission rod LZDC02	2
4		ZA1-6A	Lock Plate ZA1-6A	4
5		SK70	Mid locking plate	2
6		LDK01	Shim	2
7		N33A	Cushion block N33A	2
8		N34A	Supporting block N34A **Option: N52**	2
Hinge				
1		PX10 Or LPX14	Side Hung Window Limiter PX10	2
2		J3	Pivot hinge	4


C Groove Top-hung Window



SECTION :- A-A




ELEVATION




SECTION :- B-B

No	Image	Code	Remark	Qty
1		LCZS3320	Handle LCZS3320, L=45mm **Options: CZS116S,LCZS309,LCZS109**	2
2		HCC60	Friction stay HCC60 Available Sizes are 12", 14", 16", 18"	4
3		LZDC02	Transmission rod LZDC02	2
4		ZA1-6A	Lock Plate ZA1-6A	4
5		N33A	Cushion block N33A	2
6		N34A	Supporting block N34A **Option: N52**	2


C Groove Door - Single Glazing




SECTION :- A-A



ELEVATION





SECTION :- B-B

No	Image	Code	Remark	Qty
1		MZS20	Handle MZS20, Spindle=85mm **Options: MZS22,MZS08** **Screw: M5x65**	1
2		MZS320	Handle MZS320, Spindle=85mm **Options: MZS322,MZS308** **Screw: M5x65**	1
3		MSC28/II	Door Lock MSC28/II	1
4		KMB180A	Cover Plate KMB180A	1
5		KIL3247	Cylinder KIL3247	1
6		T-MJ27	Pivot Hinge T-MJ27	6
7		SCX220B	Latch SCX220B	1
8		SCX500B	Latch SCX500B	1
9		SK20	Locking Piece SK20	1

No	Image	Code	Remark	Qty
10		B103	Door Closer Silver/black/white\English logo**65Kg**	1
Hinge Options				
1		MJ26	Pivot Hinge MJ26	6
Handle Options				
1		MZS22	Handle	1
2		MZS18	Handle	1
3		MZS220	Handle	1
4		MZS222	Handle	1
1		B401	Door Closer Silver/black/white\English logo**45Kg**	1


No	Image	Code	Remark	Qty
1		MZS218C	Handle MZS218C **Screw: M5x65**	2
2		MSC28/II	Door lock MSC28/II	1
3		KMB180A	Cover plate KMB180A	1
4		T-MJ27	Pivot hinge T-MJ27	6
5		KIL4728/T	Cylinder	1
6		TCG10	Side transmission rod TCG10	2
7		MSK24	Locking plate MSK24	2






ELEVATION

SECTION :- A - A




SECTION :- B - B


No	Image	Code	Remark	Qty
1		MZS20	Handle MZS20, Spindle=85mm **Options: MZS22, MZS08** **Screw: M5x65**	1
2		MZS320	Handle MZS320, Spindle=85mm **Options: MZS322, MZS308** **Screw: M5x65**	1
3		MSC28/II	Door Lock MSC28/II	1
4		KMB180A	Cover Plate KMB180A	1
5		KIL3247	KIL3247	1
6		LHD55	Pivot Hinge LHD55	6
7		SCX220B	Latch SCX220B	1
8		SCX500B	Latch SCX500B	1
9		SK20	Locking Piece SK20	1

No	Image	Code	Remark	Qty
10		B103	Door Closer Silver/black/white\English logo**65Kg**	1
11		B401	Door Closer Silver/black/white\English logo**45Kg**	1


Panel Door




SECTION :- A - A




ELEVATION




SECTION :- B - B


No	Image	Code	Remark	Qty
1		MZS218C	Handle MZS218C, Spindle=70mm **Screw: M5x50**	1
2		MSC28/II	Door Lock MSC28/II	1
3		KMB180A	Cover Plate KMB180A	1
4		T-MJ27	Pivot Hinge T-MJ27	3
5		KIL2828/T	Cylinder KIL2828/T	1
6		SCX500B	Latch SCX500B	2
7		SK20	Locking Piece SK20	1
8		B103	Door Closer Silver/black/white\English logo**65Kg**	1
Dummy Handle for double sash				
1		MZS3218C	Door handle MZS3218C	1
2		B401	Door Closer Silver/black/white\English logo**45Kg**	1

Pivoted Window







No	Image	Code	Remark	Qty
1		LCZS3320	Handle LCZS3320, L=25mm Right and Left Sides are available.	1
2		LZDC02	Transmission rod LZDC02	1
3		ZA1-6A	Lock Plate ZA1-6A	2
4		LZXHY10	Middle hang hinge LZXHY10	2
6		N33A	Cushion block N33A	2
7		N34A	Supporting block N34A **Option: N52**	2
5		PX10 Or LPX14	Side Hung Window Limiter PX10 8'10'12'14	2




SECTION :- A - A




ELEVATION




SECTION :- B - B



SECTION :- A - A




ELEVATION




SECTION :- B - B


Curtain wall window sizes depend on project requirements, considering wind load, window parameters, and structural hardware checks. Friction stays and locking points should align with these factors. Consult the Kin Long Technical team before processing orders; the solution below is for reference only.

No	Image	Code	Remark	Qty
1		CZS619	Window handle CZS619, Tongue L=30mm	1
2		LZDG03	Transmission rod LZDG03	1
3		B08AG10	Lock plate B08AG10	2
4		HC610	Friction stay HC610 Available Sizes are 12", 14", 16"	2
6		SC320	Pegstay SC320	2
7		1630FJS-16	Anti-drop piece	4
8		FTQ102	Disengagement preventer	1



SECTION :- A - A







SECTION :- B - B

No	Image	Code	Remark	Qty
1		CZS619	Window handle CZS619, Tongue L=30mm	1
2		N9-5	Main Transmission	1
3		LZDC05	Transmission rod **(based on window width)**	2
4		SK32B	Locking plate	2
6		HC650	Friction stay HC610 Available Sizes are 12", 14", 16", 18"	2
7		1630FJS-16	Anti-drop piece	4
8		LSK76	Mid locking plate	1
9		LDK01	Shim block	1
10		FTQ103	Disengagement preventer	1


WRD 100 Series Door



Section :- A-A




ELEVATION




Section :- B-B


WRD 200 Series Door



Section :- A-A




ELEVATION




Section :- B-B

No	Image	Code	Remark	Qty
1		MZS520C	Door handle LMS003-65, NT-L40 **Screw: M5 X45mm**	1
2		LMS28	Door Lock	1
3		KMB120A	Locking plate	1
4		WK70	Hinges , Bearing capacity **55Kg** **Option: T-WK-71**	3


PD 200 Series Door



Section :- A-A



ELEVATION



Section :- B-B

No	Image	Code	Remark	Qty
1		MZS20	Door handle MZS20, Spindle=70mm **Options: MZS22,MZS08** **Screw: M5x50**	1
2		MSC28/II	Door Lock MSC28/II	1
3		KMB180A	Cover Plate KMB180A	1
4		KIL2828/T	Cylinder KIL2828/T **Option: KIL2828**	1
5		T-MJ27	Hinge T-MJ27, Bearing capacity **90Kg**	3











CIFIAL

Centennial Inheritance European Brand

PREMIUM QUALITY

CE

German IF design award


Frame anchors


NFA - Series - Nylon frame anchor





MAZS-W - Series - Electroplated galvanized undercut self - tapping anchor





Product advantages

1. Don't need to cooperate with chemical adhesive or open the expansion sheet to install it.
2. The installation is fast and simple;
3. Suitable for the installation of small edge and small spacing;
4. After installation, the surface is flat, which will not affect subsequent installation
5. lt can be removed after installation and can be used for temporary anchoring
6. Preferable to be used where fire retarding is an issue

Silicone

General purpose Silicone. KL-MS801

- Neutral curing, no white oil, 100% silicone, excellent extrusion.
- No-sag, easy to use.
- Good weather resistance.
- Implementation standard ASTM C920.25HMM



Paintable Silicone. KL-MS7016

- Good weather and UV resistance, good durability
- Strong initial tack
- Good extrusion and thixotropy, easy to scrape and modify



Screws and Fasteners







Selecting the right screws is crucial to prevent hardware failure in doors and windows. To avoid bi-metal corrosion and ensure proper hole design, consult Kin Long. We offer high-quality SS grade screws and combined material screws to simplify fabrication while preventing corrosion



Rivet Aluminum // Stainless Steel



Rivet Nuts



Composite Gasket




EPDM Gasket

EPDM rubbers

Corner turning gasket: corners turn directly without the need for corner treatment(cutting/fittings)
Improved sealing!


25 Years warranty **under natural conditions**


Kin Long offers full glass and groove EPDM rubber solutions for Alumex profiles



Wool pile


Kin Long offers woolpile for all alumex sliding series including Lift and sliding






Extra water resistance layer with woolpile
TL-4P2L

Kin Long - Advantages





Trainings for hardware installations



Cad analysis & Technical calculations



Complete hardware packages for Alumex profiles

Remarks

For further technical and hardware clarifications, feel free to contact us

KIN LONG

For Better Living

Guangdong Kin Long Lanka (Pvt) Ltd

260 Nawala Rd, Colombo 11222